


Produktdetails

# TKM/U-CG

## TKM/U-CG Card holder prog.



### Allgemeine Informationen

Typ	TKM/U-CG
Bestellnummer	2CKA006300A1650
EAN	4011395297346
Beschreibung	TKM/U-CG Card holder prog.
Langbeschreibung	<p>Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: <a href="http://tacteo-configurator.my.busch-jaeger.de">tacteo-configurator.my.busch-jaeger.de</a>. Individual configuration with logos and/or ICONs and/or colours according to customer specifications. For inserting and evaluating of mifare RF cards. With integrated KNX bus coupler. Freely programmable function &gt;Do not disturb&lt;, &gt;Bell&lt; and &gt;Make up room&lt;. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p>

### Installation / Montage

Betriebs- und Montageanleitung	No document needed
--------------------------------	--------------------

### Technische Daten

Datenblatt, technische Information	No document needed
------------------------------------	--------------------

12 ... 24 V

Bemessungsspannung ( $U_r$ )

Hilfsspannung AC/DC	12 V 24 V AC/DC
Bemessungsstrom ( $I_n$ )	4 A
Anzahl Ausgänge	1
Unterstützte Bussysteme	KNX (TP)
Produktreihe	KNX
Schalterdesign	tacteo
Belastungsart	AC/DC
Montageart	Surface Mounted
Batteriegewicht	0 g
Anwendungsbereich	Hotelanwendungen

## Umwelt

Umgebungstemperatur	(Betrieb) -5 ... +45 °C
Schutzart	IP20
RoHS Status	nach EU Richtlinie 2002/95/EC August 18, 2005 und Ergänzungen
RoHS Information	9AKK104295D8727
REACH Erklärung	2CKA309999E9999

## Abmessungen

Nettogewicht	104.4 g
--------------	---------

## Bestelldaten

Mindestbestellmenge	1 Stück
Menge Verpackungseinheit 1	Karton 1 Stück
Bruttogewicht Verpackungseinheit 1	0.21 kg
Zolltarifnummer	85365080
Herkunftsland	Deutschland (DE)

## Zertifikate und Deklarationen

Konformitätserklärung - CE	2CKA100000E4199
-------------------------------	-----------------

## Klassifizierungen

ETIM 8	EC000782 - Bussystem-Zutrittskontrollleinrichtung
ETIM 9	EC000782 - Bussystem-Zutrittskontrollleinrichtung
WEEE Kategorie	5. Geräte, bei denen keine der äußeren Abmessungen mehr als 50 cm beträgt (Kleingeräte)
WEEE B2C / B2B	B2C
CN8	8536 50 80
eClass	V11.0 : 27143141

---

## Kategorien

---

Niederspannungsprodukte und Systeme → Haus- und Gebäudeautomation → KNX → Bedienen → Busch-tacteo® → Transponder-Lesegeräte und Kartenhalter

