

LED GLS

WOJ+14628



See
more

Smart light bulb Bluetooth Mesh, LED source GLS with possibility to change the colour of the light (RGB), with the possibility of changes to the colour temperature of light (CCT), with the possibility of dimming (DIMM) and remote commissioning and control via remote control, light switch and app on your mobile device. It is an LED source, a light bulb with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 110 lm/W



Power	8,5 W	Voltage	230 V
Luminous flux**	940 lm (360°)	Colour temperature	2700-6500 K
Colour of light	CCT/RGB	Beam angle	220 °
Socket	E27	Degree of protection (IP)	IP20

Technical data

Code	W0J+14528
Power	8,5 W
Nominal current	60 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	9 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.7
Useful luminous flux*	940 lm (360°)
Luminous flux**	940 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	2700-6500 K
Colour of light	CCT/RGB
Beam angle	220 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	SMART
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Degree of protection (IP)	IP20
Dimension (AxBxC)	60x117 mm
Made in	PRC
Other	RGBW(2700-6500K) ,

Related documents



 Declaration of Conformity

