

# MASTER GLASS LED candles and lusters

# MAS LEDCandleDT2.5-25W E14 B35 CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lusters with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cozy atmosphere. The MASTER LED candles and lusters can be dimmed for different lumen level and also for the different color temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED and provides excellent quality of light. By offering a lifetime of 25,000 hours it reduces maintenance costs.

## **Product data**

General Information	
Cap-Base	E14 [E14]
CE mark	Yes
EU RoHS compliant	Yes
Nominal lifetime	25,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Brand	Philips
Light Technical	
Color Code	922-927 [CCT of 2200K-2700K]
Luminous Flux	340 lumen
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200 2700 K
Luminous Efficacy (rated) (Nom)	136 lm/W
Color Consistency	<6

90
70 %
50 to 60 Hz
50 to 60 Hz
2.5 W
15 mA
25 W
0.5 s
0.5 s
0.6
220-240 V
-20 °C to 45 °C


Datasheet, 2023, April 17 data subject to change

# **MASTER GLASS LED candles and lusters**

T-Case Maximum (Nom)	70 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	B35 [B 35mm]
Approval and Application	
Energy Consumption kWh/1000 h	3 kWh
EPREL Registration Number	1,109,136


Product Data		
Full product code	871951444935000	
Order product name	MAS LEDCandleDT2.5-25W E14 B35 CL G	
Order code	929003011982	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	10	
Material number (12NC)	929003011982	
Net weight	0.013 kg	
Full product name	MAS LEDCandleDT2.5-25W E14 B35 CL G	
EAN/UPC - Case	8719514449367	


# Dimensional drawing



Product	D	С
MAS LEDCandleDT2.5-25W E14 B35 CL G	35 mm	97 mm

### Photometric data






Light Distribution Diagram - MAS LEDCandleDT2.5-25W E14 B35 CL G


# **MASTER GLASS LED candles and lusters**


#### Photometric data



Spectral Power Distribution Colour - MAS LEDCandleDT2.5-25W E14 B35 CL G

#### Lifetime





Life Expectancy Diagram - MAS LEDCandleDT2.5-25W E14 B35 CL G

Lumen Maintenance Diagram - MAS LEDCandleDT2.5-25W E14 B35 CL G



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.