

MINI16/MINI28 ALLDAY INSPIRE IN

WQJP07089

See
more

LED luminaire MINI16/MINI28 ALLDAY INSPIRE IN, with a power of 10 W, high light efficacy 120 lm/W. It is part of the ALLDAY INSPIRE series, which is characterised by modern design, high-quality materials and a wide range of components and accessories that allow for the personalisation of the luminaires. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 50° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



| | | | |
|--------------------|---------------|---------------------------|--------------|
| Power | 10 W | Voltage | 230 V |
| Colour temperature | 3000 K | Colour of light | WW |
| Beam angle | 50 ° | Degree of protection (IP) | IP20 |

Technical data

| | |
|------------------------------|----------------|
| Code | WQJP07089 |
| Power | 10 W |
| Nominal current | 47 mA |
| Voltage | 230 V |
| Energy consumption | 10 kWh/1000h |
| Frequency | 50HZ Hz |
| Protection class | I |
| Power supply included | Yes |
| Manufacturer of power supply | TCl |
| Power factor | 0.93 |
| Useful luminous flux* | 1200 lm (360°) |
| Luminous flux** | 1150 lm (360°) |
| Lamp efficacy | 120 lm/W |
| Colour temperature | 3000 K |
| Colour of light | WW |
| Beam angle | 50 ° |
| RA | 80 |
| Light source included | + |
| Producer of LED diodes | SAMSUNG |
| Uniformity of color SDCM max | 3 |
| Dimmable | No |
| Working temperature range | -20/+40 ° |
| Lifespan | 50000 h |
| Housing material | Aluminum |
| Degree of protection (IP) | IP20 |
| Colour | White |
| Dimension (AxBxC) | 176X57x57 mm |
| Mounting hole | 166X45 mm |
| For use | Inside |
| Assembly method | Recessed |
| Application | Inside |
| Made in | PL |

Related documents



 Declaration of Conformity



 Photometric file

