

Standard 21/5 W 12 V BAY15d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- · Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- · Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet





Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	21/5 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	440/35 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	10.50 g	
Length	52.5 mm	
Diameter	27.0 mm	
Lifespan		
Lifespan Tc	160 h	
Lifespan B3	60 h	
Additional product data		
Base (standard designation)	BAY15d	
Certificates & standards		
ECE category	P21/5W	
British standard	380	
Logistical data		
Order reference	N380	
Environmental information		
Date of Declaration	28-10-2022	
Primary Article Identifier	4008321770448	
. Time y vivice rectainer	4008321770868	
	4008321799555	
	4008321812698	
	4006584795659	
	4006584795673 4055462033925	
	4052899225619	
	4055462079787	
	4055462300881	
	4006584920211	
Candidate List Substance 1	No declarable	
	substances contain	
D. L. C. N. C. COD. L. L.		


Packaging Information

Declaration No. in SCIP database

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N380	4008321770448	Folding box	10
N380-02B	4008321799555	Blister	2

In work

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com