

LED TUBE NANO-PLASTIC

W0J+22946

LED TUBE NANO-PLASTIC 9 W with G13 socket. The lamp shade has been made of plastic, making it more resistant to breakage, for example during transportation. It is characterised by a high light efficacy 111 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.




Power	9 W	Voltage	230 V
Luminous flux**	1000 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	270 °
Socket	G13		

Technical data


Code	WOJ+22946
Power	9 W
Nominal current	60 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	9 kWh/1000h
Frequency	50HZ Hz
Power factor	0.65
Useful luminous flux*	1000 lm (360°)
Luminous flux**	1000 lm (360°)
Lamp efficacy	111 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G13
Dimension (AxBxC)	28x600 mm
For use	Inside
Application	INT
Made in	PRC
Other	starter no included ,

Related documents



 User manual



 Declaration of Conformity

