



# CorePro Plastic LEDbulbs



## CorePro LEDbulb ND 8-60W A60 E27 865

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

#### **Product data**

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	100 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0

Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	8 W	
Lamp Current (Nom)	46 mA	
Wattage Equivalent	60 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	75 °C	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	


Datasheet, 2025, March 17 data subject to change

# CorePro Plastic LEDbulbs

Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.029 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	696290
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C
	<u> </u>
<b>Application Conditions</b>	·
can it be used in closed luminaires	No


Product Data	
Order product name	CorePro LEDbulb ND 8-60W A60 E27
	865
Full product name	CorePro LEDbulb ND 8-60W A60 E27
	865
Full product code	872016916921000
Order code	929002306408
Material Nr. (12NC)	929002306408
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169169210
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169227


# Dimensional drawing



Product	D	С
CorePro LEDbulb ND 8-60W A60 E27 865	60 mm	108 mm

## Photometric data






Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 865

Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 865

## CorePro Plastic LEDbulbs


#### Photometric data




Calculat Procurences 45 Philips Uplaing B.V. Page 17

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 865

### Lifetime





Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 865

Life Expectancy Diagram



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.