

PRODUCT-DETAILS

CMS-201DR

CMS-201DR Sensor



General Information

Extended Product Type	CMS-201DR
Product ID	2CCA880133R0001
EAN	7612271426682
Catalog Description	CMS-201DR Sensor
Long Description	CMS-201DR 25 mm - Solid-Core Sensor - 80A

Technical

Rated Operational Voltage	690 V AC 1500 V DC
Frequency (f)	Rated Current 50 Hz atRatedLoad 0.27 W
Accuracy	0.5% FS
Measuring Range	0.1...40 A
Mounting Type	DIN-Rail
Sensor Type	Solid-core (25 mm)
Output	Other

Environmental

Ambient Air Temperature	Operation -25 ... 70 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Information	2CCC413008D0206
Environmental Information	2CCC481001D0202
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	25.4 mm
Product Net Height	43.2 mm
Product Net Depth / Length	43 mm
Product Net Weight	30 g

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	83 g

Certificates and Declarations

Declaration of Conformity - CE	2CCC481017D0201
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK106930A6241
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CCC481003C0201
-----------------------------------	-----------------

Classifications

ETIM 8	EC002475 - Current value transformer
ETIM 9	EC002475 - Current value transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	90303900
UNSPSC	41111928
eClass	V11.0 : 27210123

IDEA Granular Category
Code (IGCC)

6160 >> Current sensors

Object Classification Code

P

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Circuit Monitoring Systems

