Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

Model identifier: 9290024927

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	GU5.3		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

Product parameters

Parameter Parameter Value Value General product parameters: Energy consumption in on-6 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), 490 in Narrow Correlated colour 4 0 0 0 indicating if it refers to the flux cone (90°) temperature, in a sphere (360°), in a wide rounded to the cone (120º) or in a narrow cone nearest 100 Κ, (90º) or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set On-mode (P_{on}), 5,8 Standby power (P_{sb}), 0,00 power expressed in W expressed in W and rounded to the second decimal Networked standby power (P_{net}) 90 Colour rendering index, rounded to for CLS. expressed in W and rounded to the second decimal the nearest integer, or the range of CRIvalues that can be set Outer Height 46 Spectral power See image dimensions distribution in the in last page 51 Width

without separate control gear, lighting control parts and non- lighting control parts, if any (millimatra)	Depth	51	range 250 nm to 800 nm, at full-load	
(millimetre) Claim of equivale	ent power ^(a)	Yes	If yes, equivalent power (W)	35
			Chromaticity coordinates (x and y)	0,382 0,380
Parameters for d	lirectional light s	sources:	1	
Peak luminous in	tensity (cd)	1 200	Beam angle in degrees, or the range of beam angles that can be set	36
Parameters for L	ED and OLED lig	ht sources:	1	
R9 colour render	ing index value	0	Survival factor	0,90
the lumen mainte	enance factor	0,96		
(a), not applicable				

(a)_{'-'} : not applicable;

(b)'-' : not applicable;

