

# PRODUCT DATASHEET 64659 250 W 24 V

Halogen lamps with reflector MR16 | Halogen lamps with reflector MR16



# **TECHNICAL DATA**

## **Electrical data**

Nominal wattage	250 W
Construction wattage	250.00 W
Nominal voltage	24.00 V

## Photometrical data

Luminous flux	400 lm
Luminous efficacy	1 lm/W
Color temperature	3200 K
Color rendering index Ra	100
Light color	1032

# **Dimensions & Weight**

Overall length	44.50 mm
Light center length (LCL)	35,0 mm
Diameter	51,0 mm
Product weight	28.7 g

# Lifespan

Lifespan	1000 h

# Additional product data

Base (standard designation)	GX5.3
Mercury content	0.0 mg

# **Capabilities**

# **Country-specific categorizations**

# Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GX5.3
Length	44.50 mm
Height	51,0 mm
Width	51,0 mm

#### **DOWNLOAD DATA**

#### DOWNLOAD DATA



Advertisements

#### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321197795	Folding box 1	58 mm x 46 mm x 46 mm	32.00 g	0.12 dm³
4008321197801	Shipping box 20	282 mm x 122 mm x 356 mm	810.00 g	12.25 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

- For further technical information please refer to the following OSRAM brochure: "Technology and applications, Low-voltage tungsten-halogen lamps" "Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.