ENVEOLI1708007 - End of Life Instructions - Compact NSXm 160F 4P Earth Leakage Circuit Breaker with electronic trip unit Micrologic 4.1 Everlink connections

Product End of Life Instructions


Compact NSXm 160F 4P Earth Leakage Circuit Breaker with electronic trip unit Micrologic 4.1 Everlink connections






ENVEOLI1708007 - End of Life Instructions - Compact NSXm 160F 4P Earth Leakage Circuit Breaker with electronic trip unit Micrologic 4.1 Everlink connections

🗥 Potential disassembly risks



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board	25	
To be depolluted	2	Electronic Board	21	includes fexible wiring
To be depolluted	3	Electronic Board	3	

ENVEOLI1708007 - End of Life Instructions - Compact NSXm 160F 4P Earth Leakage Circuit Breaker with electronic trip unit Micrologic 4.1 Everlink connections

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	Compact NSXm 160F 4P Earth Leakage Circuit Breaker with electronic Micrologic 4.1 trip unit is designed to provide protection of installation against overloads and short-circuits and provide earth leakage protection in electrical distribution systems with assigned voltage up to 440VAC and rated current up to 160A.	
Product reference	LV426728	
Total representative product mass	1619g	
Representative product dimensions	entative product dimensions 108mm x 144mm x 80mm	
Date of information release	08/2017	

G Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
Recyclability potential	52%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 2 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1708007

Published by Schneider Electric © 2017 - Schneider Electric – All rights reserved

08/2017