



EU Declaration of Conformity

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118
Year in which CE Mark was first affixed:
2010

Declare under our responsibility for the product(s):

Product Range:	NAME: 9MX056 Maxos accessories DESCRIPTION: accessories to Maxos Trunking system
Product Code:	See Annex I


The designated product(s) accessory list, used in combination Philips Maxos trunking system is (are) in conformity with the essential requirements of the following European Directives and harmonized standards:

Low Voltage Directive (LVD), 2014/35/EU	
• EN 60598-1:2015	Luminaires – General requirements and tests

Electromagnetic compatibility Directive (EMC), 2014/30/EU	
• EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Restriction of the use of certain Hazardous Substances in electrical and electronic equipment Directive (RoHS), 2011/65/EU	
• EN50581:2012	

and are produced under a quality scheme at least in conformity with ISO 9001 or CENELEC permanent documents.

<p>September 2th, 2016 Eindhoven The Netherlands</p> 	<p>John Elen Quality Manager Outsourced Operations BG Professional Europe Philips Lighting</p>
--	---

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Declare under our responsibility for the product(s):

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010

Annex I

Product range: 9MX056

Product code	Designation code
9106 800 17126	9MX056 MB-SW L3000 SI
9106 830 02126	9MX056 EP SI SET
9106 050 16526	9MX056 HALTERUNG STRAHLER SB
9106 830 00626	9MX056 EP-F/TLD SI
9106 830 08926	9MX056 BC58 SI
9106 800 17226	9MX056 MB-SW SI
9106 800 17026	9MX056 MB-SW-L1250 SI
9106 800 10926	9MX056 SW2
9106 830 06626	9MX056 EP2-T SI (2PCS)
9106 800 07226	9MX056 MB-SW WH
9106 830 70421	9MX056 SEIL L3000
9106 744 19621	9MX056 LT-KONTAKT 5-POLIG
9106 745 53421	9MX056 EA7
9106 730 35221	9MX056 FASSUNG 2R IP20
9106 730 35621	9MX056 1R-FASSUNG IP64 MAXOS
9106 730 35721	9MX056 2R-FASSUNG IP64 MAXOS
9106 050 20126	9MX056 BLIND-LT 58W
9106 050 20726	9MX056 ECC
9106 050 15026	9MX056 258 SP HG T ASYM 1-R
9106 050 18526	9MX056 CP-L WH
9106 050 19226	9MX056 EC7
9106 830 09126	9MX056 2EP 2EC7 SI
9106 940 01026	9MX056 SPIEGEL TRAP. 136/236 BS HG WS
9106 940 07226	9MX056 SPIEGEL TRAP. 258 TS HG
9106 940 12226	9MX056 SPIEGEL FAC. 158 TS HG
9106 800 05026	9MX056 MB WH 64
9106 800 06026	9MX056 MB WH
9106 800 06126	9MX056 MB-PS WH
9106 800 06626	9MX056 MB-ST-L1250 WH
9106 800 07126	9MX056 MB-SW-L3000 WH
9106 800 16026	9MX056 MB SI
9106 800 16626	9MX056 MB-ST-L1250 SI
9106 800 17926	9MX056 SWF SET
9106 800 19026	9MX056 PB SI
9106 810 00226	9MX056 ELU-E14-V WH
9106 810 01026	9MX056 ELU-E27-V WH
9106 810 01126	9MX056 ELU-E27-V SI
9106 810 03526	9MX056 CPI
9106 810 09026	9MX056 ZAK 7-POL.
9106 830 00026	9MX056 STWZ F 1R WS
9106 830 00526	9MX056 EP-F/TLD WH
9106 830 02326	9MX056 EP IP64 SI SET
9106 830 02826	9MX056 BC36 IP64 WH
9106 830 02926	9MX056 BC58 IP64 WH
9106 830 04026	9MX056 GK IP64

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010

Annex I

Declare under our responsibility for the product(s):

Product range: 9MX056

9106 830 04426	9MX056 GLAS+RAST. 1/258 IP54 NEU
9106 830 04726	9MX056 GLAS O.RA 1/258 IP54 NEU
9106 830 05026	9MX056 STWZ T 1R WS
9106 830 05526	9MX056 EP1-T WH (2PCS)
9106 830 05626	9MX056 EP1-T SI (2PCS)
9106 830 06026	9MX056 STWZ T 2R WS
9106 830 07326	9MX056 BC-L300 WH
9106 830 07526	9MX056 BC-L850 WH
9106 830 07626	9MX056 BC-L950 WH
9106 830 07726	9MX056 BC-L1110 WH
9106 830 08326	9MX056 BC-L300 SI
9106 830 08426	9MX056 BC L600 SI
9106 830 08526	9MX056 BC-L850 SI
9106 830 08626	9MX056 BC-L950 SI
9106 830 08726	9MX056 BC-L1110 SI
9106 830 09026	9MX056 2EP 2EC7 WH
9106 830 10026	9MX056 LTR-G13 IP64 (2PCS)
9106 840 14221	9MX056 EP/TL5 SI
9106 840 15121	9MX056 EP-F WH
9106 840 15221	9MX056 EP-F SI
9106 800 09026	9MX056 PB WH
9106 840 14121	9MX056 EP/TL5 WH
9106 744 19521	9MX056 LT-KONTAKT 3-POLIG
9106 730 35121	9MX056 FASSUNG 1R IP20
9106 800 07426	9MX056 CB WH
9106 800 17426	9MX056 CB SI
9106 810 08026	9MX056 SD WH
9106 810 08326	9MX056 CP-SD SI
9106 800 09126	9MX056 CADDY F.UNI-T-PROFIL WS
9106 062 93921	9MX056 EC7 (10PCS)
9106 830 02426	9MX056 BC L600 IP64 WH
9106 050 30126	9MX056 CP-T WH
9106 840 16121	9MX056 CPF WH (2PCS)
9106 840 16221	9MX056 CPF SI (2PCS)
9106 050 30526	9MX056 B7 2 Notstr
9106 800 27426	9MX056 CB ZC
9106 050 36126	9MX056 EP1-T/TLD-A SI
9106 302 26521	9MX056 CP/TL5 (2PCS)
9106 050 35626	9MX056 CP-X SI
9106 050 35726	9MX056 CP-L SI
9106 050 35826	9MX056 CP-T SI
9106 050 36026	9MX056 EP1-T/TLD-A WH
9106 830 07026	9MX056 TL5-49W WS ABK L1475
9106 940 02026	9MX056 SPIEGEL TRAP. 158/258 BS HG WS
9106 050 38426	9MX056 L5000 SS2,0
9106 810 02526	9MX056 LTV Leuchten-Tragsch-VB
9106 800 29326	9MX056 CF-SW-L1250 ZC

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010
Annex I

Declare under our responsibility for the product(s):

Product range: 9MX056

9106 050 46026	9MX056 STW E-A
9106 800 19226	9MX056 CC-SW-L1250 SI
9106 800 09226	9MX056 CC-SW-L1250 WH
9106 050 58226	9MX056 BC-L200 WH
9106 050 65626	9MX056 1/2xTLD-58W SKSR
9106 050 75426	9MX056 CP/TL5 (100PCS)
9106 050 39826	9MX056 A o. RP WS
9106 940 02226	9MX056 SPIEGEL TRAP. 158 TS HG WS
9106 830 02026	9MX056 EP WH SET
9106 830 07826	9MX056 BC36 WH
9106 800 07026	9MX056 MB-SW-L1250 WH
9106 810 08226	9MX056 CP-SD WH
9106 830 02226	9MX056 EP IP64 WH SET
9106 830 07426	9MX056 BC L600 WH
9106 810 08126	9MX056 SD SI
9106 830 08826	9MX056 BC36 SI
9106 830 01626	9MX056 BC49 WH
9106 830 01726	9MX056 BC49 SI
9106 830 01826	9MX056 BC54 WH
9106 830 01926	9MX056 BC54 SI
9106 061 95021	9MX056 EP-WG
9106 800 09426	9MX056 P MB-Ballw WH
9106 800 19426	9MX056 P MB-Ballw SI
9106 428 62222	9MX056 CF-SW-L3000 ZC
9106 051 04126	9MX056 P MB-SW WH
9106 051 04526	9MX056 P LRI1662 Halter SR6-Raster
9106 051 07326	9MX056 CP-SD BB SI
9106 051 07426	9MX056 CP-SD BB WH
9106 810 03326	9MX056 CP SI
9106 810 03226	9MX056 CP WH
9106 051 08826	9MX056 CBA WH
9106 051 08926	9MX056 CBA SI
9106 051 13126	9MX056 LPH-TL-D 1-lamp (2PCS)
9106 051 13226	9MX056 LPH-TL-D 2-lamp (2PCS)
9106 051 13326	9MX056 LPH-TL-D F32 (2PCS)
9106 830 06526	9MX056 EP2-T WH (2PCS)
9106 830 07926	9MX056 BC58 WH
9106 051 14726	9MX056 IP40 SET TL-D 1-lamp
9106 051 14826	9MX056 IP40 SET TL-D 2-lamp
8222 782 01324	9MX056 P V Steg perforated L1477
9106 051 24326	9MX056 P MB-Luminaires (1Set =2PCS)
8222 782 02061	9MX056 BC58 IP64 SI
9106 302 34121	9MX056 LH-G5 PI 25.4 26.664.2002.50
9106 302 34221	9MX056 Kabelhalter LTR
9106 302 34321	9MX056 Kabelhalter TS
9106 302 34421	9MX056 Kontaktunterteil
9106 302 34521	9MX056 Kontaktoberteil 7-polig

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010
Annex I

Declare under our responsibility for the product(s):

Product range: 9MX056

9106 302 34621	9MX056 Buegel angestr. RLT IP63 WH
9106 302 34721	9MX056 Spannverschluss
9106 449 00422	9MX056 PT36
9106 449 00522	9MX056 PT58
9106 302 33621	9MX056 LH Maxos Z 26.916-823.50
9106 302 33821	9MX056 LH Maxos Z 26.916-822.50
9106 302 34021	9MX056 LPH-TL5 1-LAMP PT (2PCS)
8222 782 02222	9MX056 P V Steg 254
8222 782 02337	9MX056 P Caddy Reut Abh SW3000 WH
8222 782 02221	9MX056 P V Steg 249
9106 051 28026	9MX056 P EC7 2NK (10PCS)
9106 051 28126	9MX056 P EA7 2NK (10PCS)
8222 782 02530	9MX056 BC-L1530 WH Metall
9106 830 09926	9MX056 BC-1530 WH BALL METALL
9106 051 36226	9MX056 MDU-P SI
9106 051 36326	9MX056 MDU-P WH
8222 782 02789	9MX056 P U Steg 49
9106 302 02821	9MX056 P Halter V-Steg lang SET
8222 782 02815	9MX056 P V Steg 154
8222 782 02817	9MX056 P Caddy Reut Abh SW3000 SI
9106 051 36626	9MX056 BC-L1452 WH
9106 051 36726	9MX056 BC-L1452 SI
9106 051 36826	9MX056 LPH-TL5 2-lamps (2PCS)
8222 782 03133	9MX056 P PT49 L1429
8222 782 03122	9MX056 P 7D2,5 L1485
9106 800 16926	9MX056 SB PAH
9106 051 13026	9MX056 LPH-TL5 1-LAMP PI (2PCS)
9106 051 36426	9MX056 MB-MDU
9106 302 33721	9MX056 LH Maxos Z 26.916-821.50
9106 810 09726	9MX056 MB WH (2PCS)
9106 051 40126	9MX056 P MB-SW 1,2-1,8mm WH
9106 051 40226	9MX056 P MB-SW 1,2-1,8mm SI
9106 991 16426	9MX056 EP-R WH (2PCS)
9106 991 16526	9MX056 EP-R SI (2PCS)
8222 782 03284	9MX056 MB-SW-L5000 WH
8222 782 03347	9MX056 P CP-L WH L155 VBL 7D2,5
8222 782 03380	9MX056 P 7D2,5 L1515
9106 830 08226	9MX056 BC L600 BK
9106 291 13526	9MX056 CP BK
9106 291 14326	9MX056 CB BK
9106 291 14026	9MX056 MB-SW-L3000 BK
9106 291 14126	9MX056 MB-ST-L1250 BK
9106 291 13426	9MX056 EP BK SET
9106 291 14226	9MX056 PB BK
9106 291 13626	9MX056 CBA BK
9106 291 13726	9MX056 MB BK
9106 291 13826	9MX056 MB-SW BK

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010
Annex I

Declare under our responsibility for the product(s):

Product range: 9MX056

9106 291 13926	9MX056 MB-SW-L1250 BK
8222 782 03706	9MX056 P 5x2.5 L1165 ST
8222 782 03705	9MX056 P 5x2.5 L1165ST/L320BU
8222 782 03752	9MX056 P 5D2,5 L3000
8222 782 03773	9MX056 Mirror 258 T-NB NEW
8222 782 03764	9MX056 P BC-L50 WH
8222 782 03796	9MX056 MB-SW-L5000 SI
8222 782 03830	9MX056 P 5X2.5 L350 BU
9106 051 48126	9MX056 MB-SW L1250 WH
8222 782 03853	9MX056 BC-L850 IP64 SI
9106 051 43726	9MX056 PB WH
9106 051 43826	9MX056 MB WH
9106 051 43926	9MX056 MB-SW L3000 WH
8222 782 03873	9MX056 P EP/TL5 SHORT WH
9106 051 48826	9MX056 MDU SI EXTENSION SET
9106 051 48626	9MX056 MDU WH EXTENSION SET
9106 051 48726	9MX056 MDU-PWR SI STARTER SET
9106 051 49426	9MX056 MB-SW L3000 BK
9106 051 49526	9MX056 MB-SW SI
9106 051 48526	9MX056 MDU-PWR WH STARTER SET
9106 051 49626	9MX056 MB-SW WH
9106 051 49026	9MX056 MB BK
9106 051 49126	9MX056 MB-SW L1250 SI
9106 051 49226	9MX056 MB-SW L1250 BK
9106 051 49326	9MX056 MB-SW L3000 SI
9106 051 50026	9MX056 MB-MDU
9106 051 48926	9MX056 MB SI
9106 051 49726	9MX056 MB-SW BK
9106 051 49826	9MX056 PB SI
9106 051 49926	9MX056 PB BK
8222 782 03958	9MX056 P MB-SW-L6000 WH
8222 782 03962	9MX056 P M/S C2000
8222 782 03960	9MX056 P MB-SW L6000 SI
8222 782 04331	9MX056 Caddy Reut Abh SW3000 SI
9106 830 09426	9MX056 BC L1800 SI
9106 830 09526	9MX056 BC L1800 WH
8222 782 04330	9MX056 Caddy Reut Abh SW3000 WH
8222 782 04103	9MX056 P CP RAL0007500
9106 830 08026	9MX056 BC L1200 SI
9106 830 08126	9MX056 BC L1200 WH
9106 302 42321	9MX056 P HALTER RASTER TL5 ALU-PROF. SET
9106 830 03226	9MX056 EP-900 SI SET
8222 782 04371	9MX056 P C-2R WIRE C1200
8222 782 04102	9MX056 P MB-SW-L3000 RAL0007500
9106 830 03126	9MX056 EP-900 WH SET
8222 782 04155	9MX056 P BC L2100 SI
8222 782 04419	9MX056 CF-SW-L5000 ZC

Philips Lighting



EU Declaration of Conformity Annex I

We, Philips Lighting

I.B.R.S./C.C.R.I. /Numéro 10461
5600 VB Eindhoven, The Netherlands

Internal Ref. Nr.: 118

Year in which CE Mark was first affixed: 2010
Annex I

Declare under our responsibility for the product(s):

Product range: 9MX056

8222 782 04791	9MX056 BC-1479 WH BALL METALL
8222 782 04868	9MX056 BLIND-LT 49W WH
8222 782 04821	9MX056 P MB WH 45° VAR
9106 302 42421	9MX056 P HALTER RASTER TL5 SET
9106 051 50826	9MX056 MB-SW L6000 SI
8222 782 04095	9MX056 P EP-F BK
9106 051 50626	9MX056 MB-SW-L5000 SI
9106 051 50526	9MX056 MB-SW-L5000 WH
8222 782 04240	9MX056 P HALTER DURCHM.19MM WH
8222 782 04232	9MX056 P BC49 SI IP64
8222 782 04316	9MX056 P HALTER DURCHM. 3,1MM WH
8222 782 04262	9MX056 P REWORK SET
9106 800 11026	9MX056 PB WH
9106 051 50726	9MX056 MB-SW-L6000 WH
8222 782 04370	9MX056 P C-2R WIRE C600
8222 782 04394	9MX056 P Driver LED6 for GEN1
8222 782 04377	9MX056 P C-2R WIRE C1600
8222 782 04372	9MX056 P C-2R WIRE C1800
9106 800 11126	9MX056 PB SI
9106 800 11226	9MX056 PB BK
8222 782 04822	9MX056 P Safety für MB WH 45° SET
8222 782 04836	9MX056 P MB Speaker WH
8222 782 05051	9MX056 Caddy Alem SW3000 WH
8222 782 04759	9MX056 C-2R SET
9106 800 09726	9MX056 PB BK
9106 800 09626	9MX056 PB SI
9106 800 09526	9MX056 PB WH
8222 782 04842	9MX056 P MB-MDU Maxos LED
8222 782 04852	9MX056 P BC49 IP64 WH
8222 782 05052	9MX056 Caddy Alem SW3000 SI

September 2th, 2016
Eindhoven
The Netherlands

John Elen
Quality Manager
Outsourced Operations
BG Professional Europe
Philips Lighting