# **PHILIPS** Lighting



A ↑ G

Α

# MASTER LEDspot GU10 UltraEfficient

# MAS LEDspot UE 2.1-50W GU10 ND 827 EELA

With Philips Ultra Efficient GU10 LED spots you have the perfect retrofit lamp to help your customers save energy and money with high quality, long-lasting and ultra energy-efficient LED.

### **Product data**

General Information	
Cap-Base	GU10
Nominal lifetime	50,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	375 lm
Luminous Intensity (Nom)	680 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	178 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	375 lm
Photobiological safety according to EN 62471	RG1

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	2.1 W
Lamp Current (Nom)	21 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	50 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	PAR16

# MASTER LEDspot GU10 UltraEfficient


Net Weight (Piece)	0.052 kg
Approval and Application	
Energy Efficiency Class	A
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	3 kWh
EPREL Registration Number	1428242
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C
Application Conditions	

No

Product Data	
Order product name	MAS LEDspot UE 2.1-50W GU10 ND
	827 EELA
Full product name	MAS LEDspot UE 2.1-50W GU10 ND
	827 EELA
Full product code	872016919485400
Order code	929003634602
Material Nr. (12NC)	929003634602
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169194854
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169194861

#### Dimensional drawing

can it be used in closed luminaires




MAS LEDspot UE 2.1-50W GU10 ND 827 EELA	50 mm	54 mm


D

с

#### Photometric data



Accent Lighting Spots - MAS LEDspot UE 2.1-50W GU10 ND 827 EELA




Product




## MASTER LEDspot GU10 UltraEfficient

Photometric data



Spectral Power Distribution Colour - MAS LEDspot UE 2.1-50W GU10 ND 827 EELA

#### Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - MAS LEDspot UE 2.1-50W GU10 ND 827 EELA



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2025, March 17 - data subject to change