

LED G9

WOJ+14165

LED source LED G9 7 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base. It is characterised by a high light efficacy 112 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.




Power	7 W	Voltage	230 V
Luminous flux**	790 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	270 °
Socket	G9		

Technical data


Code	W0J+14165
Power	7 W
Nominal current	45 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0,5
Useful luminous flux*	790 lm (360°)
Luminous flux**	790 lm (360°)
Lamp efficacy	112 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G9
Dimension (AxBxC)	21x71 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity



 Photometric file

