Product End-of-Life Instructions

Product Range: *KNX*
Marketing Model/Name: KNX push-btn.2g plus TPb w SysM
MTN617244   KNX push-btn.2g plus TPb w SysM

Purpose:
The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note :
This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).

Size in mm :

H x L x D in mm: 70 x 20 x 70

Weight : 51 grams

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :   Reuse → Separation for special treament → Other dismantling → Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.

	2: Plastic, Upper part (1/10)
	2: Plastic, Button 2G (2/10)
	2: Plastic, Protection (3/10)
	2: Plastic, Visual window (4/10)
	2: Plastic, Inlaid leaflet (5/10)
	3: Metal part, Supporting plate (6/10)
	1: PCBA assembly (7/10)
	3: Metal part, Clamping spring (8/10)
	2: Plastic, Instabus terminal bl. (9/10)
	2: Plastic, Bottom part (10/10)

C. Jollain – F. ZHANG

Recommendation	Number on drawing	Components	Weight (g)	Comment
Operating hazards	1	**Printed circuit board (1x) [1]**	**9.12**	Printed circuit board
Reuse				
Special treatment	3	**Metal parts (2x) [6,8]**	**16.42**	Metal parts
Other dismantling	2	**Plastic parts (6x) [1,2,3,4,5,10]**	**23.22**	Plastic part
Other shredding	2	**Plastic parts (1x) [9]**	**1.6**	Plastic part

C. Jollain – F. ZHANG