

PRODUCT DATASHEET CHRISTMAS LED Tree

Christmas | Outdoor seasonal lighting



Areas of application

- Gardens, balconies and other outdoor areas

Product benefits

- Attractive and functional design
- Easy and quick installation

Product features

- Very bright and functional outdoor LED luminaires
- Type of protection, luminaire: IP65, Type of protection, plug: IP44



TECHNICAL DATA

Electrical data


Nominal wattage	8.80 W
Nominal voltage	220240 V
Mains frequency	5060 Hz
Nominal current	38 mA
Power factor λ	> 0.90
Protection class	Ш
Operating mode	Mains voltage

Photometrical data

Luminous flux	170 lm
Luminous efficacy	19 lm/W
Light color (designation)	Warm White

Dimensions & Weight

Length	13.00 mm
Width	470.00 mm
Height	640.00 mm
Product weight	1580.00 g
Cable length	1500 mm



Materials & Colors

Product color	White
Housing color	White
Body material	Aluminum
Cover material	Polyvinylchlorid (PVC)

Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+25 °C
Type of connection	Plug type C (EU)
Type of protection	IP65
Dimmable	No
Mounting type	Suspended
Mounting location	Wall
Application environment	Outdoor
LED module replaceable	Not replaceable
With light source	Yes

Lifespan

Number of switching cycles	10000

Certificates & Standards

Chandanda	CE /EAC /DEACH / Dalic
Standards	CE / EAC / REACH / RoHS

Additional product data

Number of illuminants	1
-----------------------	---

EQUIPMENT / ACCESSORIES

- Equipped with 1.5 m cable with in-line switch and EU plug

DOWNLOAD DATA

	Documents and certificates
PDF	Declarations Of Conformity CE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075509641	Folding box 1	535 mm x 42 mm x 702 mm	2114.00 g	15.77 dm³
4058075509658	Shipping box 5	560 mm x 230 mm x 730 mm	11882.00 g	94.02 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.