


PRODUCT-DETAILS

ZLSP950E86-3LN

ZLSP950E86-3LN Starter pack Power



Algemene informatie

Type	ZLSP950E86-3LN
Artikelnummer	2CCF212328A0001
EAN	7612271489625
Omschrijving	ZLSP950E86-3LN Starter pack Power
Omschrijving	Starter pack Touch proof SMISLINE TP Power Bar System 250A 3LN Pluggable socket system is completely fingersafe (IP2XB) together with the socket end piece

Technical

Toegekende stroom (I_n)	250 A
Opties	3LN
Uitvoering klok	Other

Environmental

RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107991A9647
Milieu-informatie	9AKK108467A9561
Rapport over	9AKK108468A3363

conflictmineralen (CMRT)

Dimensions

Product netto breedte	113 mm
Product netto hoogte	1623 mm
Product netto diepte	49 mm
Product netto gewicht	5884 g
Dimensiediagram	9AKK107492A6192

Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	karton 1 stuk
Pakketniveau 1 Brutogewicht	6291 g
E-Number (Switzerland)	809997380

Certificates and Declarations

Conformiteitsverklaring - CE	9AKK107991A9647
---------------------------------	-----------------

Installation

Instructies en handleidingen	2CCR213000B0001
---------------------------------	-----------------

Popular Downloads

Gegevensblad, technische informatie	9AKK107492A6192
--	-----------------

Classifications

ETIM 8	EC001522 - Raalkoper
ETIM 9	EC001522 - Raalkoper
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27370303
Object classificatiecode	F

Categorieën

Laagspanningsproducten en -systemen → Modulaire DIN rail producten → Plug-in Distribution Systems → Plug-in stroomverdelers toebehoren → Toebehoren voor plug-in stroomverdelers

