

Lighting

PHILIPS

MASTER TL-D Super 80

MASTER TL-D Super 80 18W/865 1SL/25

The MASTER TL-D Super 80 lamp offers more lumens per watt and better color rendering than TL-D standard colors. Furthermore, it has a lower mercury content. The lamp can be operated in existing TL-D luminaires.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Lamp Current (Nom)	0.360 A		
Cap-Base	G13 [Medium Bi-Pin Fluorescent]				
Flux measurement reference	Sphere	Controls and Dimming	Controls and Dimming		
		Dimmable	Yes		
Light Technical					
Color Code	865 [CCT of 6500K]	Mechanical and Housing			
Luminous Flux	1,300 lumen	Bulb Shape	T8 [26 mm (T8)]		
Color Designation	Cool Daylight				
Chromaticity Coordinate X (Nom)	0.313	Approval and Application			
Chromaticity Coordinate Y (Nom)	0.337	Mercury (Hg) Content (Nom)	1.7 mg		
Correlated Color Temperature (Nom)	6500 K	Energy Consumption kWh/1000 h	19 kWh		
Luminous Efficacy (rated) (Nom)	68 lm/W	EPREL Registration Number	423,367		
Color rendering index (CRI)	80				
		Product Data			
Operating and Electrical		Full product code	871150063177040		
Power Consumption	18.2 W	Order product name	MASTER TL-D Super 80 18W/865 1SL/25		
		Order code	927920086544		


MASTER TL-D Super 80

Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	25		
Material number (12NC)	927920086544		
Full product name	MASTER TL-D Super 80 18W/865 1SL/25		


EAN/UPC - Case 8711500631787

Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Super 80 18W/865	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm
1SL/25					




Photometric data




Spectral Power Distribution Colour - MASTER TL-D Super 80 18W/865 1SL/25

Lifetime








Life Expectancy Diagram - MASTER TL-D Super 80 18W/865 1SL/25

MASTER TL-D Super 80

Lifetime



Lumen Maintenance Diagram - MASTER TL-D Super 80 18W/865 1SL/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 16 - data subject to change