

# PRODUCT DATASHEET LS AY -PF03/UW/25X7/12/2

Flat Profiles for LED Strips | Flat Profiles for LED Strips



# Areas of application

- General indoor illumination

# **Product benefits**

- Low profile
- Quick and simple installation

# **TECHNICAL DATA**

# **Dimensions & Weight**

Length	2000 mm
Width	25,0 mm
Height	7 mm
Product weight	240.00 g

# Colors & materials

Product color	Grey
1 Todact Cotor	ore,

# Temperatures & operating conditions

Ambient temperature range	-15+45 °C
Temperature range in operation	-15+45 °C

# Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE PROTECTED Strips
----------------	--

### **LOGISTICAL DATA**

# **DOWNLOAD DATA**

# DOWNLOAD DATA



Catalogs

# **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401594	BAG 1	2,000 mm x 16 mm x 6 mm	241.00 g	0.19 dm <sup>3</sup>
4058075401600	Bundle 5	2,000 mm x 16 mm x 30 mm	1206.00 g	0.96 dm <sup>3</sup>
4058075401617	Shipping box 25	2,040 mm x 165 mm x 90 mm	6534.00 g	30.29 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.