


# PRODUCT DATASHEET LB FLEX SUSPENSION KIT

LOW BAY FLEX SUSPENSION KIT | Suspension kit for LOW BAY FLEX



# **Product benefits**

- Easy installation with click-in suspension brackets

### **Product features**


- Wire suspension with bracket and 5 m adjustable steel cable



# **TECHNICAL DATA**

# **Dimensions & Weight**

Length	125.0 mm
Width	30 mm
Height	46 mm
Product weight	240.00 g
Cable length	5000 mm



# Materials & Colors

	Body material	Steel
--	---------------	-------

### **Application & Mounting**

Temperature range at storage	-30+80 °C
Mounting type	Surface mounting
Mounting location	Ceiling

# **EQUIPMENT / ACCESSORIES**

- 5 m adjustable steel cable

### **DOWNLOAD DATA**

-	$\Gamma \sim \sim$	ึ่	2	tex	+-
	-	ш	е.	162	CI 5




Tender documents

### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075693722	BAG 1			
4058075693739	Shipping box 30	421 mm x 282 mm x 173 mm	7650.00 g	20.54 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **ADDITIONAL CATALOG INFORMATION**







### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.