# **PHILIPS** Lighting



# Classic filament LEDbulbs

# LED cla 120W G120 E27 WW FR ND RFSRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

#### **Product data**

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Color Code	827 [CCT of 2700K]
Luminous Flux	2,000 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 К
Luminous Efficacy (rated) (Nom)	153.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG1

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	13 W
Lamp Current (Nom)	120 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Glass


A ↑ G

## **Classic filament LEDbulbs**

Bulb Shape	G120
Net Weight (Piece)	0.100 kg
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	374860
EU RoHS compliant	Yes
EyeComfort	Yes
LED Innovations	EyeComfort
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Application Conditions	
can it be used in closed luminaires	No

Product Data	
Order product name	LED cla 120W G120 E27 WW FR ND
	RFSRT4
Full product name	LED cla 120W G120 E27 WW FR ND
	RFSRT4
Full product code	871869976481400
Order code	929002372101
Material Nr. (12NC)	929002372101
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699764814
Numerator - Packs per outer box	4
EAN/UPC - Case	8718699764821

#### **Dimensional drawing**




#### Photometric data

		1 x 9290823721 3706K 13W
		1 a 2000 (er.
	Charles relation for the second secon	
Minaryan Gi Ing per Gi Ing per Gi Nang Perang Mang Perang Ang Perang		

New Listeine 9 h

General uniform lighting - LED cla 120W G120 E27 WW FR ND RFSRT4


Product	D	с
LED cla 120W G120 E27 WW FR ND RFSRT4	124 mm	177 mm



Spectral Power Distribution Colour - LED cla 120W G120 E27 WW FR ND RFSRT4


### **Classic filament LEDbulbs**

#### Photometric data



Light Distribution Diagram - LED cla 120W G120 E27 WW FR ND RFSRT4

#### Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - LED cla 120W G120 E27 WW FR ND RFSRT4



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2025, March 17 - data subject to change