

# PRODUCT DATASHEET LS AY -PM02/R/18X15,5/10/2

Medium Profiles for LED Strips | Medium Profiles for LED Strips



## Areas of application

- General indoor illumination

## **Product benefits**

- Robust aluminum profile
- Quick and simple installation

## **TECHNICAL DATA**

# Dimensions & Weight

Length	2000 mm
Width	18.0 mm
Height	15.5 mm
Product weight	420.00 g

#### Colors & materials

Product color	Grey

# Temperatures & operating conditions

Ambient temperature range	-15+45 °C	
Temperature range in operation	-15+45 °C	

# Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE
	PROTECTED Strips

## LOGISTICAL DATA

Temperature range at storage -35+85 °C	
--	--

# Accessories Optional

Product image	Product name	EAN	
	LS AY -PM02/MB	4058075276918	
	LS AY -PC/P01/D/1	4058075279339	
	LS AY -PC/P01/C/2	4058075402010	
	LS AY -PC/P01/D/2	4058075401839	

Product image	Product name	EAN
9	LS AY -PM02/EC/H	4058075277847
9	LS AY -PM02/EC	4058075277816
	LS AY -PC/P01/C/1	4058075402195

#### DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	Declarations of conformity	LS AY PM_PF_PW_PC	
	Tender texts	Document name	
	Tender documents	Medium Profiles for LED Strips PM02R 18X15 5 10 2-EN	

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401686	BAG 1	2,000 mm x 22 mm x 12 mm	421.00 g	0.53 dm <sup>3</sup>
4058075401693	Bundle 5	2,000 mm x 22 mm x 60 mm	2106.00 g	2.64 dm <sup>3</sup>
4058075401709	Shipping box 25	2,040 mm x 155 mm x 110 mm	11232.00 g	34.78 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.