

SILENA 2

W0JP09940

LED luminaire SILENA 2, with a power of 40 W, high light efficacy 100 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 24° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.





40 W Power

4000 K Colour temperature

> 24° Beam angle

230 V Voltage

Neutral white Colour of light

Degree of protection (IP)

IP20

www.spectrumled.pl



Technical data

Code WOJP09940

Power 40 W

Nominal current 191 mA

Voltage 230 V

Energy consumption 40 kWh/1000h

Frequency 50HZ Hz

Protection class II

Power supply included +

Manufacturer of power **BOKE**

supply

Power factor 0.93

Useful luminous flux* 4000 lm (360°) Luminous flux** 3200 lm (360°)

Lamp efficacy 100 lm/W

Colour temperature 4000 K

Colour of light Neutral white

Beam angle 24 °

RA **90**

Light source included +

Producer of LED diodes CREE

Troducer or EED diodes ONE

Uniformity of color SDCM max 3

Dimmable OPC
Working temperature range -20/+40 °

tare range 207 - 40

Lifespan **50000 h**

Housing material **Aluminum**

Degree of protection (IP) IP20

Colour White

Dimension (AxBxC) 187x150 mm

Mounting hole 0175 mm

For use Inside

Assembly method Recessed

Application **Inside**

Made in **PL**

Related documents



Declaration of Conformity















