

---

PRODUCT-DETAILS

# PIG0301-0-B

## SHRINK-KON 300M BLACK



---

### General Information

Extended Product Type	PIG0301-0-B
Product ID	7TCA017200R0008
EAN	5414363105848
Catalog Description	SHRINK-KON 300M BLACK
Long Description	Heat Shrink Tubing, Black, 300M Reel, Shrink Ratio 3:1, Expanded Diameter 3.2mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

---

### Ordering

EAN	5414363105848
UPC	786210636054
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

---

### Dimensions

Product Net Depth / Length	984.2 ft 300 m
----------------------------	-------------------

---

### Container Information

---

Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	2.6 in 66 mm
Package Level 1 Depth / Length	15.4 in 391 mm

### Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

### Certificates and Declarations

Data Sheet, Technical Information	PIG0301-0-B
-----------------------------------	-------------

### Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

