


PRODUCT-DETAILS

KIT FC CuAl 2x240mm² T5 630 8pcs

KIT FC CuAl 2x240mm² T5 630 8pcs



General Information

Extended Product Type	KIT FC CuAl 2x240mm ² T5 630 8pcs
Product ID	1SDA055031R1
EAN	8015644561765
Catalog Description	KIT FC CuAl 2x240mm ² T5 630 8pcs
Long Description	FRONT TERMINALS FOR CABLES IN COPPER-ALUMINIUM 2x240mm ² 8pcs T5 630

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

E-Number (Sweden)	3180928
-------------------	---------

EAN	8015644561765
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	2.4 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	2.533 kg
Package Level 1 EAN	8015644561765

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T5
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH001408R0001

Classifications

ETIM 7	EC002019 - Connection vane/phase spreader
ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA
 Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

