

PRODUCT DATASHEET

64337 A 48-15

Halogen lamps with reflector, current-controlled, 45...48 W | Halogen lamps with reflector, current-controlled, 45...48 W



TECHNICAL DATA

Electrical data

Nominal wattage	48 W
Construction wattage	48.00 W
Nominal voltage	120 V

Photometrical data

Luminous intensity	20000 cd
Color temperature	3200 K
Color rendering index Ra	100
Light color	1032

Dimensions & Weight

Overall length	999.99 mm
Length with base excl. base pins/connection	45,00 mm
Diameter	50.2 mm
Product weight	0.00 g

Lifespan

Lifespan	1500 h
----------	--------

Additional product data

Base (standard designation)	Leads w/male flat connectors
-----------------------------	------------------------------

Capabilities

Burning position	Horizontal
------------------	------------

Country-specific categorizations

Order reference	64337
-----------------	-------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	Leads w/male flat connectors
Length	999.99 mm
Height	50.2 mm
Width	50.2 mm

Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

DOWNLOAD DATA**DOWNLOAD DATA**

PRODUCT DATASHEET



Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321102737	Folding box 1	63 mm x 50 mm x 50 mm	38.34 g	0.16 dm ³
4008321102744	Shipping box 20	257 mm x 131 mm x 109 mm	856.80 g	3.67 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.