

# PRODUCT DATASHEET

## 64339 C 105-10

Halogen lamps with reflector, current-controlled, 62...105 W | Halogen lamps with reflector, current-controlled, 62...105 W



---

## TECHNICAL DATA

### Electrical data

Nominal wattage	105 W
Construction wattage	105.00 W
Nominal current	6.6 A

### Photometrical data

Luminous intensity	30000 cd
Color temperature	3300 K
Color rendering index Ra	100
Light color	1033

### Dimensions & Weight

Overall length	46.00 mm
Length with base excl. base pins/connection	48 mm
Diameter	50.2 mm
Product weight	15.00 g

### Lifespan

Lifespan	1000 h
----------	--------

### Additional product data

Base (standard designation)	Leads w/male flat connectors
Mercury content	0.0 mg

### Capabilities

Burning position	Horizontal
------------------	------------

### Country-specific categorizations

Order reference	64339
-----------------	-------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	Leads w/male flat connectors
Length	48.00 mm
Height	50.2 mm
Width	50.2 mm

---



### Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet

radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

---

## DOWNLOAD DATA

DOWNLOAD DATA	
 PDF	PRODUCT DATASHEET
 PDF	Advertisements

---

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321105486	Folding box 1	63 mm x 50 mm x 50 mm	38.33 g	0.16 dm <sup>3</sup>
4008321105493	Shipping box 20	257 mm x 134 mm x 112 mm	789.00 g	3.86 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.