Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

Model identifier: 9290023522A

Type of light source:

	1		
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	G5		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

Product parameters

Parameter Parameter Value Value **General product parameters:** Energy consumption in on-26 Energy efficiency D mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-3 900 in Correlated colour 6 500 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 26,0 0,00 On-mode power (P_{on}), Standby power (P_{sb}), expressed in W expressed in W and rounded to the second decimal Colour rendering in-80 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set Outer dimen-1 163 Spectral power dis-See image Height sions without tribution in the in last page Width 19 separate conrange 250 nm to 800 Depth 19 trol gear, lightnm, at full-load

ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent power ^(a)	-	lf yes, equivalent power (W)	-
		Chromaticity coordi- nates (x and y)	0,312 0,328
Parameters for LED and OLED lig	ght sources:		
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		
(2)	4	· · · ·	

(a)'-' : not applicable;

(b)_{'-'} : not applicable;

