## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

## Model identifier: 8718696739747

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	2G11		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consum mode (kWh/100 up to the neares	00 h), rounded	17	Energy efficiency class	E			
Useful luminou indicating if it re in a sphere (36 cone (120 <sup>o</sup> ) or in (90 <sup>o</sup> )	efers to the flux 50°), in a wide	2 100 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000			
On-mode pe expressed in W	ower (P <sub>on</sub> ),	16,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00			
Networked stand for CLS, expres rounded to the s	sed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80			
Outer	Height	412	Spectral power	See image			
dimensions	Width	38	distribution in the	in last page			
without	Depth	17					

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity	0,382
		coordinates (x and y)	0,380
Parameters for LED and OLED ligh	t sources:		
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		
(a)			

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

