


PRODUCT-DETAILS

# ZLSP950E82-3L

## ZLSP950E82-3L Starter pack Power



### General Information

Extended Product Type	ZLSP950E82-3L
Product ID	2CCF212226A0001
EAN	7612271488765
Catalog Description	ZLSP950E82-3L Starter pack Power
Long Description	Starter pack Touch proof SMISLINE TP Power Bar System 250A 3L Pluggable socket system is completely fingersafe (IP2XB) together with the socket end piece

### Technical

Rated Current ( $I_n$ )	250 A
Options Provided	3L
Model Number	Other

### Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9647
Environmental Information	9AKK108467A9561
Conflict Minerals	9AKK108468A3363

Reporting Template  
(CMRT)

---

**Dimensions**

---

Product Net Width	113 mm
Product Net Height	1551 mm
Product Net Depth / Length	49 mm
Product Net Weight	4620 g
Dimension Diagram	9AKK107492A6192

---

**Ordering**

---

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	4683 g

---

**Certificates and Declarations**

---

Declaration of Conformity - CE	9AKK107991A9647
-----------------------------------	-----------------

---

**Installation**

---

Instructions and Manuals	2CCR213000B0001
--------------------------	-----------------

---

**Popular Downloads**

---

Data Sheet, Technical Information	9AKK107492A6192
--------------------------------------	-----------------

---

**Classifications**

---

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27370303
Object Classification Code	F

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems → Plug-in Distribution Systems  
Accessories → Accessories for Plug-in Distribution Systems 250A

