

BRANTA METALICA

W0JP07198

LED luminaire BRANTA METALICA, with a power of 27 W, high light efficacy 115 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. Narrow beam angle 60° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.





| Power | 27 W | Voltage | 230 V |
|---------------------------|-------|------------|-------|
| Colour of light | FRUIT | Beam angle | 60 ° |
| Degree of protection (IP) | IP20 | | |

www.spectrumled.pl



Technical data

| Code | W0JP07198 |
|---------------------------------|-------------------|
| Power | 27 W |
| Nominal current | 129 mA |
| Voltage | 230 V |
| Energy consumption | 27 kWh/1000h |
| Frequency Protection class | 50HZ Hz |
| | 1 |
| Power supply included | + |
| Manufacturer of power supply | TCI |
| Power factor | 0.93 |
| Useful luminous flux* | 3105 lm (360°) |
| Luminous flux** | 2160 lm (360°) |
| Lamp efficacy | 115 lm/W |
| Colour of light | FRUIT |
| Beam angle | 60 ° |
| RA | 90 |
| Light source included | + |
| Producer of LED diodes | CREE |
| Uniformity of color SDCM max | 3 |
| Dimmable | OPC |
| Working temperature range | -20/+40° |
| Lifespan | 50000 h |
| Housing material | Aluminum |
| Degree of protection (IP) | IP20 |
| Colour | Black |
| Dimension (AxBxC) | 90x200x165 mm |
| For use | Inside |
| Assembly method | on track |
| Application | Inside |
| Made in | PL |
| Other | L90B10 - 73000h , |

