



MASTER TL-D 90 De Luxe

MASTER TL-D 90 De Luxe 58W/952 SLV/10

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information				
Cap-Base	G13 [Medium Bi-Pin Fluorescent]			
Flux measurement reference	Sphere			
Light Technical				
Color Code	952			
Luminous Flux	4,550 lumen			
Color Designation	Daylight			
Chromaticity Coordinate X (Nom)	0.34			
Chromaticity Coordinate Y (Nom)	0.351			
Correlated Color Temperature (Nom)	5200 K			
Luminous Efficacy (rated) (Nom)	76.1 lm/W			
Color rendering index (CRI)	92			
Operating and Electrical				
Power Consumption	59.8 W			

Lamp Current (Nom)	0.670 A			
Controls and Dimming				
Dimmable	Yes			
Mechanical and Housing				
Bulb Shape	T8 [26 mm (T8)]			
Approval and Application				
Mercury (Hg) Content (Nom)	1.7 mg			
Energy Consumption kWh/1000 h	60 kWh			
EPREL Registration Number	423,530			
Product Data				
Full product code	871150088871625			
Order product name	MASTER TL-D 90 De Luxe 58W/952 SLV/10			


Datasheet, 2023, May 15 data subject to change

MASTER TL-D 90 De Luxe

Order code	928045095081
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	928045095081


Full product name	MASTER TL-D 90 De Luxe 58W/952 SLV/10
EAN/UPC - Case	8711500888723

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D 90 De Luxe	28 mm	1,500.0 mm	1,507.1 mm	1,504.7 mm	1,514.2 mm
58W/952 SLV/10					


Photometric data



Spectral Power Distribution Colour - MASTER TL-D 90 De Luxe 58W/952 SLV/10

Lifetime






Life Expectancy Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10

Life Expectancy Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10

MASTER TL-D 90 De Luxe

Lifetime



Lumen Maintenance Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.