



# MASTER LEDtube Mains T5

## MASTER LEDtube 1200mm HE 16.5W 840 T5

The new Philips Master LEDtube Mains T5 brings simplicity to your lighting project. You don't need to pay attention to the driver technology anymore. Thanks to a unique design, Philips MASTER LEDtube Mains T5 installs in luminaires operating on mains power connection. So simple to operate! ;Perfectly safe, reliable & easy to install Philips MASTER LEDtube Mains T5 is the ideal alternative to standard fluorescent tubes to maximize value over lifetime with high energy saving and lower maintenance costs.

### Product data

General information		Operating and electrical	
Cap-Base	G5 [ G5]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	16.5 W
Nominal Lifetime (Nom)	50000 h	Lamp Current (Max)	180 mA
Switching Cycle	200000X	Lamp Current (Min)	70 mA
Technical Type	16.5-28W	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.9
		Voltage (Nom)	100-240 V
Light technical		Temperature	
Color Code	840 [ CCT of 4000K]	T-Ambient (Max)	45 °C
Beam Angle (Nom)	200 °	T-Ambient (Min)	-20 °C
Luminous Flux (Nom)	2500 lm	T-Storage (Max)	65 °C
Color Designation	Cool White (CW)	T-Storage (Min)	-40 °C
Correlated Color Temperature (Nom)	4000 K	T-Case Maximum (Nom)	70 °C
Luminous Efficacy (rated) (Nom)	151.00 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

# MASTER LEDtube Mains T5

## Controls and dimming

Dimmable	No
----------	----

## Mechanical and housing

Bulb Finish	Frosted
Bulb Material	Glass
Product Length	1200 mm
Bulb Shape	Tube, double-ended

## Approval and application


Energy Saving Product	Yes
Approval Marks	RoHS compliance CE marking KEMA Keur certificate

Energy Consumption kWh/1000 h	17 kWh
-------------------------------	--------

## Product data

Full product code	871869978351800
Order product name	MASTER LEDtube 1200mm HE 16.5W 840 T5
EAN/UPC - Product	8718699783518
Order code	929002421008
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002421008
Copy Net Weight (Piece)	0.215 kg


## Dimensional drawing




MASTER LEDtube 1200mm HE 16.5W 840 T5

Product	D1	D2	A1	A2	A3
MASTER LEDtube 1200mm HE 16.5W 840 T5	15.8 mm	19 mm	1149 mm	1156.1 mm	1163.2 mm

## Photometric data




LEDtube MAS 16,5W G5 2500lm 840



LEDtube MAS 16,5W G5 2500lm 840


# MASTER LEDtube Mains T5

## Photometric data





LEDtube MAS 8W G5 1000lm

## Lifetime



Life Expectancy Diagram

LEDtube 50K FailureRate-LED



LEDtube 16,5W 50K LumenVsTc

Lumen Maintenance Diagram

# MASTER LEDtube Mains T5

## Lifetime



LEDtube 50K LifetimeVsTc-LED

