

# Product End-of-Life Instructions



## RFID System

Product Range

RFID System

Marketing Model

XG range



**Size in mm:**

XGCS8901201: H x L x I : 26 x 80 x 80

XGHB444345: H x L x I : 15 x 40 x 40

**Weight in g:**

223 for XGCS8901201

29 for XGHB444345




## Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy:

**Reuse** ⇒ **Separation for special treatment** ⇒ **Other dismantling** ⇒ **Shredding**

The components of the products that are recommended to be separated from the flow of waste for special treatment are listed, identified and located hereunder.



Comment	Number on drawing	Components	Weight (g)	Comment
Special treatment	1	External Electrical Cable	–	The weight of the cable depends on the commercial reference. Cut it and send it for special treatment.

For more information please contact us at: [global-green-sensors@schneider-electric.com](mailto:global-green-sensors@schneider-electric.com).

### Schneider Electric Industries SAS

35, rue Joseph Monier  
CS30323  
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439  
Capital social 896 313 776 €  
[www.schneider-electric.com](http://www.schneider-electric.com)

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V3.

Publication : Schneider Electric