

# PRODUCT DATASHEET Bathroom Sensor Towel Rack

BATHROOM | Bathroom gadget series with motion and daylight sensor

### Areas of application

- Bathrooms (IP44)



### **Product benefits**

- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Economical operation due to low power consumption
- Quick and easy solution to add value to your bathroom
- Ideal combination of functionality and design

## **Product features**

- Color temperature: 3,000 K
- PIR motion and daylight sensor
- Allows a nice and soft warm lighting effect



# **TECHNICAL DATA**

# Electrical data

Nominal wattage	0.36 W
Nominal voltage	4,5 V
Nominal current	40.000 mA
Inrush current time T <sub>h50</sub>	80 µs
Protection class	III

# Photometrical data

Luminous flux	20 lm
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥80
Standard deviation of color matching	≤6 sdcm
Photobiological safety group acc. to EN62778	RGO
Photobiological safety group acc. to EN62471	RGO
Beam angle	100 °

# **Dimensions & Weight**

Length	797.00 mm
Width	67.00 mm
Height	111.00 mm
Product weight	235.00 g



## Materials & Colors

Product color	Silver
Housing color	Silver
Body material	Acrylonitrile butadiene styrene (ABS)

# **Application & Mounting**

Ambient temperature range	-20+30 °C
---------------------------	-----------

Type of protection	IP44
Dimmable	No
Mounting type	Surface
Application environment	Indoor
LED module replaceable	Not replaceable
With light source	Yes

# Lifespan

Number of switching cycles	100 000
----------------------------	---------

### Sensor

Type of sensor	Motion / Daylight
Sensor controlled switching time	20 s

## **BATTERY**

Type of Battery	Alkaline
Battery size [GMS]	AAA
Number of included batteries	6
Nominal voltage of battery	1.5 V
Nominal capacity of battery	1100 mAh

## Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

# **EQUIPMENT / ACCESSORIES**

- Accessories for flexible mounting options included
- Batteries included

# **DOWNLOAD DATA**

	Documents and certificates
POF	Declarations Of Conformity CE
PDF	Declarations Of Conformity UKCA

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075759060	Folding box 1	77 mm x 803 mm x 122 mm	463.00 g	7.54 dm³
4058075759077	Shipping box 6	832 mm x 262 mm x 247 mm	3424.00 g	53.84 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.