**PHILIPS** Lighting



# MASTERColour CDM-R111 Elite

## MASTERC CDM-R111 Elite 35W/930 GX8.5 40D

MASTERColour CDM-R111 Elite combines the trendy look of 111 mm aluminumreflector halogen lamps with the long life, high energy efficiency and crisp white light of MASTERColour CDM.

#### Warnings and Safety

- Control gear must include end-of-life protection (IEC61167, IEC 62035)
- Use only with electronic control gear. 35W/930 lamps may also use electromagnetic gear.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

## **Product data**

eneral Information		Luminous Efficacy (rated) (Nom)	46 lm/W
Cap-Base	GX8.5 [GX8.5]	Color rendering index (CRI)	90
Operating Position	UNIVERSAL [Any or Universal (U)]	LLMF At End Of Nominal Lifetime (No	<b>m)</b> 70 %
Switching Cycle	1,050	Luminous Flux in 90° Cone (Rated)	1,750 lumen
Flux measurement reference	Narrow Cone		
		Operating and Electrical	
Light Technical		Power Consumption	39.1 W
Color Code	930 [CCT of 3000K]	Warm-up time to 60% light	120 s
Beam Angle (Nom)	40 degree(s)	Voltage (Nom)	89 V
Luminous Flux	1,750 lumen	Voltage (Nom)	89 V
Luminous Intensity (Nom)	4,500 cd		
Color Designation	Warm White (WW)	Controls and Dimming	
Chromaticity Coordinate X (Nom)	0.434	Dimmable	No
Chromaticity Coordinate Y (Nom)	0.398		
Correlated Color Temperature (Nom)	3000 K		

## MASTERColour CDM-R111 Elite


Mechanical and Housing	
Bulb Finish	Reflector
Bulb Shape	R111 [R 111mm]
Approval and Application	
Mercury (Hg) Content (Max)	4.7 mg
Mercury (Hg) Content (Nom)	4.7 mg
Energy Consumption kWh/1000 h	40 kWh
EPREL Registration Number	473,281
Product Data	

871829168952200


Order product name	MASTERC CDM-R111 Elite 35W/930 GX8.5 40D		
Order code	928195505330		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	6		
Material number (12NC)	928195505330		
Full product name	MASTERC CDM-R111 Elite 35W/930 GX8.5 40E		
EAN/UPC - Case	8718291689539		

### Dimensional drawing

Full product code




#### Photometric data



Spectral Power Distribution Colour - MASTERC CDM-R111 Elite 35W/930 GX8.5 40D

Product	D (max)	C (max)
MASTERC CDM-R111 Elite 35W/930 GX8.5 40D	111 mm	95 mm



Light Distribution Diagram - MASTERC CDM-R111 Elite 35W/930 GX8.5 40D

2

## **MASTERColour CDM-R111 Elite**



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 16 - data subject to change