

PRODUCT-DETAILS

# DDA804 A-63/0.03

## DDA804 A-63/0.03 Residual Current Device Block



### General Information

Extended Product Type	DDA804 A-63/0.03
Product ID	2CSB804101R1630
EAN	8012542924807
Catalog Description	DDA804 A-63/0.03 Residual Current Device Block
Long Description	The RCD Block DDA800 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is suitable for assembly with MCBs S800 series up to 63A.

### Technical

Standards	IEC EN 60947-2 Ann. B
Type of Residual Current	A type
Suitable For	S800S S800N S800C S800B
Rated Voltage ( $U_r$ )	230/400 V AC 240/415 V AC 400/690 V AC
Rated Operational Voltage	400/690 V
Rated Insulation Voltage ( $U_i$ )	690 V
Rated Impulse Withstand	6 kV

Voltage ( $U_{imp}$ )	
Rated Current ( $I_n$ )	63 A
Rated Residual Current	30 mA
Maximum Surge Current	0.25 kA
Leakage Current Type	A
Rated Frequency (f)	50 ... 60 Hz
Power Loss	13.5 W
Number of Poles	4
Operating Characteristic	Instantaneous
Options Provided	-
Connecting Capacity	Rigid 6 ... 50 mm <sup>2</sup> Flexible 6 ... 70 mm <sup>2</sup>

## Environmental

Ambient Temperature	-25...60 °C
Ambient Air Temperature	Operation -25...60 °C
Degree of Protection	IP2X
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK106713A5616
REACH Declaration	9AKK108467A9482
Environmental Information	document not needed
SCIP	95fc935a-f238-46ef-8670-d748fe38960e Italy (IT)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0.03 ... 0.03 A
-------------------------------------	-----------------

## Dimensions

Width in Number of Modular Spacings	6.5
Product Net Width	117 mm
Product Net Height	108.2 mm
Product Net Depth / Length	82.3 mm
Product Net Weight	0.460 kg

## Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.56 kg

## Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5616
--------------------------------	-----------------

---

## Installation

Instructions and Manuals	2CSB427001D0003
--------------------------	-----------------

---

## Popular Downloads

Data Sheet, Technical Information	2CSC400002D0209
-----------------------------------	-----------------

---

## Classifications

ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 9	EC002297 - Residual current circuit breaker (RCCB) module
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85363030
eClass	V11.0 : 27142210
Object Classification Code	F

---

## Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories

