


PRODUCT-DETAILS

## B49

B49 ComfortLine B Wall-mounting cabinet,  
Surface mounted/recessed mounted/partially  
recessed mounted, 432 SU, Geaard, IP44, Field  
Width: 4, Rows: 9, 1400 mm x 1050 mm x 215  
mm



### Algemene informatie

Type	B49
Artikelnummer	2CPX052081R9999
EAN	4011617520818

Omschrijving	B49 ComfortLine B Wall-mounting cabinet, Surface mounted/recessed mounted/partially recessed mounted, 432 SU, Geaard, IP44, Field Width: 4, Rows: 9, 1400 mm x 1050 mm x 215 mm
--------------	---

Omschrijving	Wall-mounting cabinet, empty cabinet, for the internal use, with Door, class of protection I (earthed), degree of protection IP44, IK code 7, rated current 250 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, double door, door out of sheet steel, door opening angle 120 degree, cable entry on top via membrane flange mounted, on side via flange opening pre-punched, dimensions in mm (H x W x D): 1400 x 1050 x 215, Grid unit 9 GU, panel width 4, Space units 432, pre-assembled for installation of modules and CombLine Modules
--------------	---

### Technical

Toegekende stroom ( $I_n$ )	250 A
Vermogensverlies	$\Delta t = 20K$ 155.6 W $\Delta t = 25K$ 205.4 W $\Delta t = 30K$ 242.5 W
Aantal uitsparingen voor flensplaten	4
Aantal leidinginvoeringen	204

Aantal rijen	9
Configuratietype	pre-assembled for installation of modules and CombiLine Modules
Afdekplaattype	Door
Behuizingstype	Wall-mounting cabinet
Montagetype	Surface mounted/recessed mounted/partially recessed mounted
Deurtype	Dubbele deur
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Steel plate/plastic
Materiaal	sheet steel
Afdekestijl	with Notch
DIN-plaatseenheden	432
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white

## Environmental

Beschermingsgraad	IP44
Beschermingsklasse	Geaard
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107680A4773
REACH-verklaring	2CPC100005X0201
Rapport over conflictmineralen (CMRT)	9AKK108468A3363

## Dimensions

Breedte in module-eenheden	48
Product netto breedte	1050 mm
Product netto hoogte	1400 mm
Product netto diepte	215 mm
Product netto gewicht	34.359 kg
Inbouwdiepte (t <sub>2</sub> )	190 mm
Dikte	Cabinet Plate 0.9 mm Door Plate 0.9 mm

## Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Brutoweight	35.733 kg

## Certificates and Declarations

Conformiteitsverklaring -	9AKK107680A4773
---------------------------	-----------------

CE

---

## Installation

---

Instructies en handleidingen	2CPC133150M5601
------------------------------	-----------------

---



---

## Popular Downloads

---

Gegevensblad, technische informatie	2CPC000001C0101
	2CPC000002C0101
	2CPC000377C0101

---

Building Information Modeling – BIM	9AKK107680A4425;9AKK107680A4424
-------------------------------------	---------------------------------

---



---

## Classifications

---

ETIM 8	EC000058 - Installatiekast leeg
ETIM 9	EC000058 - Installatiekast leeg
WEEE-categorie	Product Not in WEEE Scope
AEEA B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Object classificatiecode	U

---



---

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052412R9999	CZT2 ComfortLine Accessory door, 165 mm x 62 mm x 32 mm	CZT2	1	piece
2CPX052488R9999	CZT5 ComfortLine Accessory door, 164 mm x 62 mm x 47 mm	CZT5	1	piece
2CPX052352R9999	CTT29 ComfortLine Door, IP44, Field Width: 2, 1371 mm x 498 mm x 14 mm	CTT29	1	piece
2CPX052372R9999	CTT29S ComfortLine Door, IP44, Field Width: 2, 1371 mm x 521 mm x 14 mm	CTT29S	1	piece
2CPX052386R9999	CTL29S ComfortLine Door, IP30, Field Width: 2, 1371 mm x 521 mm x 14 mm	CTL29S	1	piece
2CPX052400R9999	CTW29S ComfortLine Door, IP30, 1371 mm x 521 mm x 14 mm	CTW29S	1	piece
2CPX052461R9999	CZ3 ComfortLine Accessory cabinet connection, 232 mm x 50 mm x 115 mm	CZ3	1	piece
2CPX052462R9999	CZ4 ComfortLine Accessory cabinet connection, 20.5 mm x 204 mm x 87 mm	CZ4	1	piece
2CPX052460R9999	CZ2 ComfortLine Accessory cabinet connection, 30 mm x 50 mm x 13 mm	CZ2	1	piece
2CPX052459R9999	CZ1P4 ComfortLine Accessory cabinet assembly, 130 mm x 40 mm x 20 mm	CZ1P4	1	piece
2CPX052437R9999	CZF3 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF3	1	piece
2CPX052438R9999	CZF4 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF4	1	piece
2CPX052440R9999	CZF10 ComfortLine Flange, 4.5 mm x 220 mm x 114 mm	CZF10	1	piece
2CPX052441R9999	CZF11 ComfortLine Flange, 4.5 mm x 220 mm x 114 mm	CZF11	1	piece
2CPX052442R9999	CZF12 ComfortLine Flange, 4.5 mm x 220 mm x 114 mm	CZF12	1	piece
2CPX052443R9999	CZF13 ComfortLine Flange, 4.5 mm x 220 mm x 114 mm	CZF13	1	piece
2CPX052444R9999	CZF14 ComfortLine Flange, 4.5 mm x 220 mm x 114 mm	CZF14	1	piece
2CPX052504R9999	CZB219 ComfortLine Interior fitting system, 1350 mm x 124 mm x 7 mm	CZB219	1	piece
2CPX010487R9999	TZ503 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	TZ504 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX010489R9999	TZ505 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	TZ506 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece
2CPX010491R9999	TZ507 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ507	1	piece
2CPX010492R9999	TZ508 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ508	1	piece
2CPX052422R9999	CZT29H ComfortLine Enclosure accessories, 725.5 mm x 29.5 mm x 5 mm	CZT29H	1	piece
2CPX052464R9999	CZ6 ComfortLine Flange, 218 mm x 9.9 mm x 98.5 mm	CZ6	1	piece

---

## Categorieën

---

Laagspanningsproducten en -systemen → Verdelers → Onderverdeelborden (System pro E energy) → Subverdeelborden → ComfortLine B

