

PRODUCT-DETAILS

## 5520217979 EVA-V-DWI-X-DALI



General Information	
Extended Product Type	5520217979
Product ID	7TCA091180R0313
EAN	8713812769592
Catalog Description	EVA-V-DWI-X-DALI
Long Description	Self-contained 2 watt for mounting from 4 meter upwards, square white maintained recess led luminaire, including DALI control module, series Evago

Technical	
Application	Architectural
Function	Escape route lighting
Rated Voltage (U <sub>r</sub> )	220 240 V
Input Voltage Type	AC
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	7
Number of Lamps	1
Number of Lighting Heads	1
Functional Testing Capability	Safety Module for Monitoring (Central Feeded System)
Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Ending
Ballast Type	Current Controlled

5520217979 2

Connection Type Lamp Type	LED not exchangeable
Light Distribution Type	Focal Lens
Mounting Type	Built-in
Cover Material	Plastic, Transparent
Housing Material	Plastic
Communication	DALI
Illuminance	238 lm
Housing Color	White
Battery Chemical Composition	Nickel-Metal Hydride
Battery Type	Industrial
Battery Weight	200 g
Number of Batteries	4
	5600-5600 K
Environmental	
Ambient Temperature	5 35 °C
Degree of Protection	IP42
Protection Class	Isolated (Class II)
Pinner in the second se	
Dimensions	
Product Net Width	95 mm
Product Net Height	78 mm
Product Net Depth / Length	311 mm
Product Net Weight	1.03635 lb 470 g
Built-In Depth (t <sub>2</sub> )	316 mm
Ordering	
Minimum Order Quantity	1 EA
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.587 kg
UPC	075114352413
Certificates and Declarations	
Declaration of Conformity - CE	7TKK001172
Installation	
Instructions and Manuals	9AKK107992A4813

5520217979 3

Data Sheet, Technical 9AKK108466A0210 Information

Classifications		
ETIM 8	EC001957 - Emergency luminaire	
ETIM 9	EC001957 - Emergency luminaire	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Business	
CN8	9405409100	
UNSPSC	39111709	
eClass	V11.0 : 27110305	
IDEA Granular Category Code (IGCC)	3940 >> Emergency light unit	

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Emergency\ Lighting\ Products\ Products\$ 

