

WLD+40009_DALI

WLD+40009_DALI



Power	17 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	100 °	Degree of protection (IP)	IP20

Technical data




Code	WLD+40009_DALI
Power	17 W
Nominal current	350 mA
Voltage	48 V
Energy consumption	17 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	1800 lm (360°)
Luminous flux**	840 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	285 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	DALI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	602x23x42 mm
For use	Inside
Assembly method	NA SZYŃE
Application	Inside
Made in	PRC
Other	DALI ,



Related documents



 Declaration of Conformity

	<p data-bbox="868 241 922 300">48V</p> <p data-bbox="943 241 1000 300">5 lat gwarancji RPA'S WORLD</p>  <p data-bbox="657 613 906 645">Montaż oprawy w obrebie szyny na „click” oraz możliwość swobodnego jej przesuwania</p>	
---	---	---