



CorePro LEDcapsule MV

CorePro LEDcapsule 3.2-40W ND G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information		Power Consumption	
Cap-Base	G9 [G9]	Lamp Current (Nom)	30 mA
Nominal lifetime	15,000 hour(s)	Wattage Equivalent	40 W
Switching Cycle	8,000	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
Flux measurement reference	Sphere	Power Factor (Fraction)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	82 °C
Luminous Flux	400 lumen		
Color Designation	White (WH)	Controls and Dimming	
Correlated Color Temperature (Nom)	3000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	125.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color rendering index (CRI)	80	Bulb Finish	Clear
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	Capsule
Operating and Electrical		Approval and Application	
Line Frequency	50 to 60 Hz	Suitable For Accent Lighting	No
Input Frequency	50 to 60 Hz		

CorePro LEDcapsule MV


Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	453,191
CE mark	Yes
EU RoHS compliant	Yes

Product Data

Full product code	871951430395900
Order product name	CorePro LEDcapsule 3.2-40W ND G9 830



Order code	929002495602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material number (12NC)	929002495602
Full product name	CorePro LEDcapsule 3.2-40W ND G9 830
EAN/UPC - Case	8719514303966

Dimensional drawing




Product	D	C
CorePro LEDcapsule 3.2-40W ND G9 830	16.5 mm	54 mm

Photometric data




Light Distribution Diagram - CorePro LEDcapsule 3.2-40W ND G9 830



Spectral Power Distribution Colour - CorePro LEDcapsule 3.2-40W ND G9 830

CorePro LEDcapsule MV

Lifetime



Life Expectancy Diagram - CorePro LEDcapsule 3.2-40W ND G9 830

Lumen Maintenance Diagram - CorePro LEDcapsule 3.2-40W ND G9 830

