


Product End of Life Instructions

TeSys LR9-F7375 Thermal Overload protective relay



 **End of Life Instructions**



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|--|---------------|---------------------------|
| To be depolluted | 1 | Electronic Board (Communication) > 10cm ² | 32 g | PCBA>10cm ² |
| To be depolluted | 2 | PET with FR(17) | 18.8 g | Plastic with brominate FR |
| To be depolluted | 3 | PBT with FR(17) | 0.5 g | Plastic with brominate FR |
| To be dismantled | 4 | Phenolic resin with FR(17) | 0.4 g | Plastic with brominate FR |



Product description

| | |
|---------------------------------------|---|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | The main purpose of the TeSys LR9-F7375 thermal overload relays is to detect overload currents in order to protect the motor. |
| Product reference | LR9F7375 |
| Additional similar product references | LR9F7375 |
| Total representative product mass | 1553,6 |
| Representative product dimensions | 96mm x 120mm x 123.5mm |
| Date of information release | 12/2016 |

Additional information

| | | |
|-------------------------|--|---|
| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
| Recyclability potential | 74% | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

Country Customer Care Center: www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI100406EN_V1

© 2016 - Schneider Electric – All rights reserved

12/2016