



# CorePro Plastic LEDbulbs



## CorePro LEDbulb ND 8-60W A60 E27 830

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

#### **Product data**

Consult Information	
General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	100 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	8 W
Lamp Current (Nom)	46 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted


Datasheet, 2025, March 17 data subject to change

# CorePro Plastic LEDbulbs

Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.029 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	1365423
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C
Application Conditions	
can it be used in closed luminaires	No


Product Data	
Order product name	CorePro LEDbulb ND 8-60W A60 E27
	830
Full product name	CorePro LEDbulb ND 8-60W A60 E27
	830
Full product code	872016916913500
Order code	929003607408
Material Nr. (12NC)	929003607408
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169169135
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169142


# Dimensional drawing



Product	D	С
CorePro LEDbulb ND 8-60W A60 E27 830	60 mm	108 mm

## Photometric data






Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 830

Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 830

## CorePro Plastic LEDbulbs


#### Photometric data




Closus Reconstrol 45 Philips Lighting BV. Page 1

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 830

### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 830



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.