

Standard 21 W 12 V W3x16d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application


- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet



Application (Category and Product specific)		Auxiliary lamp		
Electrical data				
Test voltage		13.5 V	13.5 V	
Nominal wattage		21.00 W	21.00 W	
Nominal voltage		12.0 V		
Photometrical data				
Luminous flux		460 lm		
Dimensions & weight				
Product weight		6.80 g	6.80 g	
Length		47.5 mm	47.5 mm	
Diameter		20.0 mm		
Lifespan				
Lifespan Tc		600 h		
Lifespan B3		400 h		
Additional product data	a			
Base (standard designation)		W3x16d		
Certificates & standard	ls			
ECE category		W21W		
British standard		582		
Logistical data				
Order reference		N582		
Environmental informa	tion			
Date of Declaration		19-01-2022		
Primary Article Identifier		4008321768346 4052899346697 4055462259394 4055462301116		
Candidate List Substance 1		No declarable substances contained		
Declaration No. in SCIP database		In work		
Packaging Information	on			
Packaging description NEOLUX	EAN	Packaging type	Amount of	

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com