

Lighting

PHILIPS

MASTER MHN-SA

MASTER MHN-SA 2000W/956 400V XW HO UNP/1

Compact quartz metal halide lamps with double-pinch

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- \cdot The luminaire must be able to contain hot lamp parts if the lamp ruptures

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Product data

	Controls and Dimming	
2,095.0 W	Dimmable	No
205 V		
205 V	Mechanical and Housing	
	Bulb Finish	Clear
	Bulb Shape	TD40 [TD 40mm]
X830R [X830R]		
P15 [Parallel +/-15D or Horizontal(HOR)]	Approval and Application	
	Mercury (Hg) Content (Nom)	215 mg
	Energy Consumption kWh/1000 h	2305 kWh
956 [CCT of 5600K]		
Daylight	Product Data	
330	Full product code	871829124183600
366	Order product name	MASTER MHN-SA 2000W/956 400V XW HO
) 5600 К	_	UNP/1
108 lm/W	Order code	928195105129
81	Numerator - Quantity Per Pack	1
	Numerator - Packs per outer box	1
	205 V 205 V 205 V X830R [X830R] P15 [Parallel +/-15D or Horizontal(HOR)] 956 [CCT of 5600K] Daylight 330 366 5600 K 108 lm/W	2,095.0 WDimmable205 VMechanical and Housing205 VMechanical and Housing205 VBulb FinishBulb ShapeBulb ShapeX830R [X830R]Approval and ApplicationP15 [Parallel +/-15D or Horizontal(HOR)]Mercury (Hg) Content (Nom)Energy Consumption kWh/1000 h956 [CCT of 5600K]DaylightProduct Data330Full product code366Order product name0 5600 KOrder code108 lm/WNumerator - Quantity Per Pack


MASTER MHN-SA

Material number (12NC)	928195105129		
Full product name	MASTER MHN-SA 2000W/956 400V XW HO		
	UNP/1		

Dimensional drawing




Photometric data



Spectral Power Distribution Colour - MASTER MHN-SA 2000W/956 400V XW HO UNP/1


Lifetime



Life Expectancy Diagram - MASTER MHN-SA 2000W/956 400V XW HO UNP/1

EAN/UPC - Case	8718291241836

Product	D (max)	0	x	А	C (max)
MASTER MHN-SA 2000W/956 400V XW	41 mm	25 mm	34 mm	226 mm	369 mm
HO UNP/1					



Lumen Maintenance Diagram - MASTER MHN-SA 2000W/956 400V XW HO UNP/1 **MASTER MHN-SA**



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 16 - data subject to change