

PRODUCT-DETAILS

## Q855B418

## Q855B418 Cabinet, Rows: 12, 1849 mm x 396 mm x 250 mm, Grounded (Class I), IP55

General Information	
Extended Product Type	Q855B418
Product ID	1SZE550800B0070
EAN	3800161600777
Catalog Description	Q855B418 Cabinet, Rows: 12, 1849 mm x 396 mm x 250 mm, Grounded (Class I), IP55
Long Description	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperataly, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1800 x 400 (384) x 250, No.Mod.DIN 144 (H=150 mm), prepared for extention side-by-side, prepared for interrior fitting System pro E energy Combi (up to 800A)

Technical		
Rated Current (I <sub>n</sub> )	800 A	
Power Loss	Δt = 25K 59 W	
	$\Delta t = 30 \text{K } 85 \text{ W}$	
	Δt = 35K 112 W	
	$\Delta t = 40 \text{K} \ 140 \text{ W}$	
Number of Flange	2	

Number of Rows	12
Cover Plate Type	Optiona
Mounting Type	Surface mounted (plaster
Door Type	Singl
Surface Finishing	Powder coating
Housing Material	Stee
RAL Number	RAL 7035 - Light Gre
Color	Gre
Number of Batteries	
Environmental	
Degree of Protection	IP5:
Protection Class	Grounded (Class I
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	1STC86012 9AKK108467A506
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Dimensions	
Width in Number of Modular Spacings	1:
Product Net Width	396 mr
Product Net Height	1849 mr
Product Net Depth / Length	250 mr
Product Net Weight	23.67 kg
Built-In Depth (t <sub>2</sub> )	230 mm
Thickness	Cabinet Plate 1.5 mn Door Plate 1.5 mn
Ordoring	
Ordering	
Minimum Order Quantity	1 piece

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	26.3 kg

## Certificates and Declarations

Declaration of Conformity	1STC860120
- CE	

Q855B418 3

Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	9AKK107680A9001
Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Object Classification Code	U

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow System\ pro\ E\ energy\ M$ 

