Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

Model identifier: 8711500867087

Type of light source:

| Lighting technology used: | CFLni | Non-directional or directional: | NDLS | | |
|-------------------------------|-------|---------------------------------|------|--|--|
| Light source cap-type | 2G11 | | | | |
| (or other electric interface) | | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | No | Envelope: | - | | |
| High luminance light source: | No | | | | |
| Anti-glare shield: | No | Dimmable: | Yes | | |
| Product parameters | | | | | |

| Product parameters | | | | | | |
|--|---|---------------------------|--|--------------|--|--|
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| •. | nption in on- 00 h), rounded st integer | 80 | Energy efficiency class | G | | |
| dicating if it refe a sphere (360°) | s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 6 000 in Sphere (360°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 3 000 | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 80,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | | |
| (P _{net}) for CLS, e | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 82 | | |
| Outer dimen- | Height | 571 | Spectral power dis- | See image | | |
| sions without separate con- trol gear, light- ing control | Width | 39 | tribution in the range 250 nm to 800 nm, at full-load | in last page | | |
| | Depth | 39 | | Dago 1 / 2 | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | |
|--|---|---|----------------|
| Claim of equivalent power ^(a) | - | lf yes, equivalent power (W) | - |
| | | Chromaticity coordi- nates (x and y) | 0,440 0,403 |

(a)'-' : not applicable;

(b)'-' : not applicable;

