




NEOLUX[®]
GERMAN TECHNOLOGY

Power Light 35/35 W 12 V P43t

NEOLUX 12 V halogen off-road lamps illuminate off-road terrain noticeably brighter, thus making it better interpretable. They are also very durable due to resilient materials.



Product family benefits

- On most difficult off-road terrains
- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Reliable manufacturer

Product family features

- High performance off-road lamp
- More light output
- More power
- More brightness
- Rugged and versatile



N62186

Product information

Product type (off-road vs. on-road)	Off-road
Application (Category and Product specific)	Halogen headlight lamp

Electrical data

Test voltage	13.2 V
Nominal wattage	35/35 W
Nominal voltage	12.0 V

Photometrical data

Color temperature	3200 K
-------------------	--------

Dimensions & weight

Product weight	22.80 g
Length	82.0 mm
Diameter	17.0 mm

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Capabilities

Technology	Halogen lamp
------------	--------------

Logistical data


Order reference	N62186
-----------------	--------

Environmental information

Date of Declaration	19-01-2022
Primary Article Identifier	4052899043992
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N62186	4052899043992	Folding box	1





NEOLUX Automotive Lighting
OSRAM GmbH

www.neolux-lighting.com

Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020