

## PRODUCT DATASHEET

### CLAS A CL 60 W 240 V B22D

CLASSIC A | Incandescent lamps, classic bulb shape



---

#### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or B22d holders (screw or bajonet holders)

---

#### Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

---

#### Product features

- Non-oxidizing aluminum base

---

**TECHNICAL DATA****Electrical data**

Nominal wattage	60 W
Construction wattage	60.00 W
Nominal voltage	240 V

**Photometrical data**

Luminous flux	710 lm
Luminous efficacy	11 lm/W
Color temperature	2700 K
Light color	27

**Light technical data**

Starting time	0 s
---------------	-----

**Dimensions & Weight**

Overall length	100.00 mm
Diameter	60,0 mm
Product weight	29.00 g

**Additional product data**

Base (standard designation)	B22d
Mercury-free	Yes
Design / version	Clear
Product remark	Banned from 1.9.2011 as per EU phase-out plan

**Capabilities**

Dimmable	Yes
----------	-----

**Country-specific categorizations**

ILCOS	IAA/C-60-240-B22D-60
Order reference	CLAS A CL 60W 2

**Energy labelling regulation data acc EU 2019/2015**

Light source cap-type (or other electric interface)	B22d
Length	100.00 mm
Height	60,0 mm
Width	60,0 mm

---

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300285450	Folding box 1	97 mm x 56 mm x 56 mm	41.90 g	0.30 dm <sup>3</sup>
4050300379098	Bundle 10	114 mm x 97 mm x 291 mm	419.00 g	3.22 dm <sup>3</sup>
4050300033730	Shipping box 100	570 mm x 207 mm x 294 mm	4560.00 g	34.69 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.