

PRODUCT-DETAILS

# Q855B812

## Q855B812 Cabinet, Rows: 8, 1249 mm x 828 mm x 250 mm, Grounded (Class I), IP55



### Informations générales

Extension du type de produit	Q855B812
Code de produit	1SZE550800B0200
EAN	3800161600906
Description courte	Q855B812 Cabinet, Rows: 8, 1249 mm x 828 mm x 250 mm, Grounded (Class I), IP55
Description longue	Wallcabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectclass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepreately, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1200 x 800 (816) x 250, No.Mod.DIN 288 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

### Technique

Courant nominal ( $I_n$ )	800 A
Power Loss	$\Delta t = 25K$ 75 W $\Delta t = 30K$ 107 W $\Delta t = 35K$ 142 W $\Delta t = 40K$ 178 W
Number of Flange Openings	6
Number of Rows	8
Cover Plate Type	Optional

Type de montage	Surface mounted (plaster)
Door Type	Single
Finition de surface	Powder coating
Qualité du matériau	Steel
RAL Number	RAL 7035 - Gris clair
Couleur	Grey
Nombre de batteries	0

## Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	36
Produit Largeur Net	828 mm
Produit Hauteur Net	1249 mm
Produit Longueur Net	250 mm
Poids net	28.248 kg
Profondeur d'encastrement (t <sub>2</sub> )	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

## Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	32.1 kg

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	1STC860120
--------------------------------	------------

## Installation

Instructions et manuels	No document needed
-------------------------	--------------------

## Popular Downloads

Fiche produit, informations	No document needed
-----------------------------	--------------------

techniques

Building Information Modeling - BIM	9AKK107680A9001
-------------------------------------	-----------------

### Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
Catégorie DEEE	Product Not in WEEE Scope
DEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Code de classification d'objet	U

### Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → System pro E energy M

